


FORM PTO-1390 (REV. 12-2001)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTORNEY'S DOCKET NUMBER 5570-4
TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371			U.S. APPLICATION NO. (If known, see 37 CFR 1.5) 10/070589
INTERNATIONAL APPLICATION NO. PCT/GB00/03418	INTERNATIONAL FILING DATE 6 September 2000	PRIORITY DATE CLAIMED 9 September 1999	
TITLE OF INVENTION URINAL OR TOILET FACILITY APPARATUS			
APPLICANT(S) FOR DO/EO/US John SYKES			
Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:			
<p>1. <input checked="" type="checkbox"/> This is a FIRST submission of items concerning a filing under 35 U.S.C. 371</p> <p>2. <input type="checkbox"/> This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371.</p> <p>3. <input checked="" type="checkbox"/> This is an express request to begin national examination procedures (35 U.S.C. 371(f)). The submission must include items (5), (6), (9) and (21) indicated below.</p> <p>4. <input checked="" type="checkbox"/> The US has been elected by the expiration of 19 months from the priority date (Article 31).</p> <p>5. <input checked="" type="checkbox"/> A copy of the International Application as filed (35 U.S.C. 371(c)(2))</p> <p>a. <input type="checkbox"/> is attached hereto (required only if not communicated by the International Bureau).</p> <p>b. <input checked="" type="checkbox"/> has been communicated by the International Bureau.</p> <p>c. <input type="checkbox"/> is not required, as the application was filed in the United States Receiving Office (RO/US)</p> <p>6. <input type="checkbox"/> An English language translation of the International Application as filed (35 U.S.C. 371(c)(2)).</p> <p>a. <input type="checkbox"/> is attached hereto.</p> <p>b. <input type="checkbox"/> has been previously submitted under 35 U.S.C. 154(d)(4).</p> <p>7. <input checked="" type="checkbox"/> Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3))</p> <p>a. <input type="checkbox"/> are attached hereto (required only if not communicated by the International Bureau).</p> <p>b. <input checked="" type="checkbox"/> have been communicated by the International Bureau.</p> <p>c. <input type="checkbox"/> have not been made; however, the time limit for making such amendments has NOT expired.</p> <p>d. <input type="checkbox"/> have not been made and will not be made.</p> <p>8. <input type="checkbox"/> An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371 (c)(3)).</p> <p>9. <input checked="" type="checkbox"/> An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).</p> <p>10. <input type="checkbox"/> An English language translation of the annexes of the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).</p> <p>Items 11 to 20 below concern document(s) or information included:</p> <p>11. <input type="checkbox"/> An Information Disclosure Statement under 37 CFR 1.97 and 1.98.</p> <p>12. <input type="checkbox"/> An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.</p> <p>13. <input type="checkbox"/> A FIRST preliminary amendment.</p> <p>14. <input type="checkbox"/> A SECOND or SUBSEQUENT preliminary amendment.</p> <p>15. <input type="checkbox"/> A substitute specification.</p> <p>16. <input type="checkbox"/> A change of power of attorney and/or address letter.</p> <p>17. <input type="checkbox"/> A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821 - 1.825.</p> <p>18. <input type="checkbox"/> A second copy of the published international application under 35 U.S.C. 154(d)(4).</p> <p>19. <input type="checkbox"/> A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4).</p> <p>20. <input checked="" type="checkbox"/> Other items or information: a) PCT Request (PCT/RO/101) b) Notification of Transmittal of Inter Search Rpt. (PCT/ISA/220) c) International Search Rpt (PCT/ISA/210) d) International Publication WO 01/18315 e) Notification of Transmittal of Inter. Prelim. Exam. Rpt (PCT/IPEA/416) f) International Preliminary Exam Rpt (PCT/IPEA/409) g) PCT/IB/308 form</p>			

page 1 of 2

"Express Mail" label number EL 916 999 757 US
Date of Deposit March 8, 2002
I hereby certify that this paper or fee is being deposited with
the United States Postal Service "Express Mail Post Office to
Addressee" service under 37 CFR § 1.10 on the date indicated
above and is addressed to the Assistant Commissioner for Patents,
Washington, D.C. 20231.
Patricia E. Allgood
Signature of person filing paper or fee

U.S. APPLICATION NO. 10/070589		INTERNATIONAL APPLICATION NO. PCT/GB00/03418		ATTORNEY'S DOCKET NUMBER 5570-4	
21. <input type="checkbox"/> The following fees are submitted: BASIC NATIONAL FEE (37 CFR 1.492 (a) (1) - (5)): Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO. \$1040.00 International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO \$890.00 International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO \$740.00 International preliminary examination fee (37 CFR 1.482) paid to USPTO but all claims did not satisfy provisions of PCT Article 33(1)-(4) \$710.00 International preliminary examination fee (37 CFR 1.482) paid to USPTO and all claims satisfied provisions of PCT Article 33(1)-(4) \$106.00 ENTER APPROPRIATE BASIC FEE AMOUNT =				CALCULATIONS PTO USE ONLY <div style="border: 1px solid black; padding: 5px; margin: 5px;"> 10/070589 5570-4 10/070589 </div>	
				\$ 890	
Surcharge of \$130.00 for furnishing the oath or declaration later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(e)).				\$	
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE	\$	
Total claims	23 - 20 =	3	x \$18.00	\$ 54	
Independent claims	3 - 3 =	0	x \$84.00	\$	
MULTIPLE DEPENDENT CLAIM(S) (if applicable) + \$280.00				\$	
TOTAL OF ABOVE CALCULATIONS =				\$ 944	
<input checked="" type="checkbox"/> Applicant claims small entity status. See 37 CFR 1.27. The fees indicated above are reduced by 1/2.				\$ 472	
SUBTOTAL =				\$ 472	
Processing fee of \$130.00 for furnishing the English translation later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(h)).				\$	
TOTAL NATIONAL FEE =				\$	
Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 per property +				\$	
TOTAL FEES ENCLOSED =				\$ 472	
				Amount to be refunded:	\$
				charged:	\$
a. <input checked="" type="checkbox"/> A check in the amount of \$ 472.00 to cover the above fees is enclosed b. <input type="checkbox"/> Please charge my Deposit Account No. _____ in the amount of \$ _____ to cover the above fees. A duplicate copy of this sheet is enclosed. c. <input checked="" type="checkbox"/> The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. 23-3030. A duplicate copy of this sheet is enclosed. d. <input type="checkbox"/> Fees are to be charged to a credit card. WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.					
NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137 (a) or (b)) must be filed and granted to restore the application to pending status.					
SEND ALL CORRESPONDENCE TO: John V. Moriarty WOODARD EMHARDT NAUGHTON MORIARTY & MCNETT 111 Monument Circle, Suite 3700 Indianapolis, IN 46204-5137			 _____ SIGNATURE John V. Moriarty _____ NAME 26,207 _____ REGISTRATION NUMBER		

Urinal or Toilet Facility Apparatus

The invention to which this application relates is to a urinal or toilet facility and particularly, although not necessarily exclusively, to fixtures in the same such as a wall mounted urinal fixture or a toilet seat or a sink, mirror or the like with the facility provided in commercial premises such as, for example, service stations, public houses, stadia and non commercial premises such as public conveniences or even domestic premises.

The applicant's co-pending Application No. PCT/GB99/02064 discloses the ability to provide a visual display as part of a urinal fixture. The urinal is provided with a sensor.

The aim of the present invention is to provide for improvements to the urinal or toilet facilities by providing display means and it should be appreciated that the description of toilet or urinal facilities include those facilities which include any or any combination of the fixtures such as urinal facilities for males which can be wall mounted and toilet seat facilities or sinks and the like and in general any fixture by which a person is likely to spend some period of time.

In a first aspect of the invention there is provided apparatus for a toilet or urinal facility, wherein said apparatus includes a screen for the display of video material, which screen is positioned so as to be viewed by a person when using the facility, a sensor provided to detect the presence of a person using the facility and/or at least one fixture in the facility, and characterised in that memory means are provided to allow the storage of data generated from the sensor to indicate the presence of a person or persons in the facility and/or fixture and said data is retrievable from said memory means on site and/or is transmittable via transmission means to the memory

means at a remote location, for subsequent display, processing and/or analysis, to provide a record of the exposure of persons to the displayed material.

It should be appreciated that the reference to the toilet or urinal facility above and hereonin is used to define a facility which may include male wall mounted urinal fixtures and/or toilet seat fixtures and/or sinks, hand driers or any other fixture of a urinal or toilet facility and that the inventive features herein described can be used in conjunction with one or a number of said fixtures within the facility and the display screen can be mounted as part of the fixture or separately therefrom and viewable by the person viewing the facility

In one embodiment the facility fixture is a male urinal which is wall mounted and has a collection area leading to a drain and, depending upwardly from the collection area, a wall and wherein said screen is mounted as part of the wall section.

In an alternative embodiment the screen is located at a position removed from the male urinal fixture but viewable to a person using the same. On the occasion of the fixture having a number of bays for a number of users, the same may be provided with a display screen for each bay or, alternatively, a common screen.

In one embodiment the video and/or audio data can be supplied from a video tape/ compact disc or recorded media apparatus located as part of the apparatus or connected to the display screens at a remote location within the premises of the facility or at a location remote from the premises.

In one embodiment the material to be displayed can be updated from a remote location from the facility premises and/or the

recording media which can be a video tape, CD or disc can be replaced or updated by the overwriting of data.

In one embodiment the sensor is arranged to detect the presence of a user of the facility or fixture and a means is provided to allow the storage of details indicating the usage of the facility and/or fixture.

In one embodiment the data from the sensor indicates the frequency of persons entering the area in which a fixture with a display screen is provided, and the data can be stored for subsequent analysis in which frequency and times of usage can be analysed.

In one embodiment the sensor is provided as an integral part of the fixture or display screen housing and senses the commencement of use of the fixture. In an alternative embodiment the sensor is provided to react to the presence of a person in the immediate vicinity of the fixture. In a yet further embodiment a proximity switch can be used in which the person using the facility changes the condition of a beam of light hence allowing the detection of the presence of the person.

In addition to the sensor acting as a counting means, it can be used to activate a visual display or other features of the facility and/or a further sensor may be provided to allow the activation of the display or other features of the facility.

The provision of the display screen allows information, advertising material or other media to be displayed for viewing by the person when using the fixture.

In one embodiment the display screen condition is activated or the condition is changed in response to the insertion of a coin, token,

or card into apparatus in connection with the display screen or by the activation of a sensor.

The user of the urinal may have paid for the activation via coin or token or card or, alternatively, may have been given same as a promotional scheme.

In one embodiment the display is for a game of chance such as a gambling game activated by inserting the coin, token or card, or alternatively, the user may be able to try and win by activating a sensor connected with the urinal and/or display screen.

In a further embodiment, the means for receiving the coin, token or card and/or display screen are provided as integral parts of the fixture.

It is envisaged that, in whatever embodiment, the display apparatus can be powered from a mains supply or alternatively by portable power sources.

In one embodiment the urinal or toilet facility fixture includes a sensor which is provided to indicate a change in condition of the fixture and wherein the sensor is controlled to react to a specified liquid or liquids.

In one embodiment the sensor is provided to change condition upon use of a male urinal or toilet seat and is controlled to react to urine liquid but not water so as to avoid activation during the flushing process.

In one embodiment the sensor used is a conductive sensor and the sensitivity of the same is adjusted to allow the same to react upon

contact with some liquids and exclude others in reaction to the particular conductivity of the liquid.

In one embodiment the urinal or toilet facility incorporates a toilet seat fixture, said seat having mounted in the same or in proximity thereto a sensor, said sensor activated by the presence of a person on said seat or in the vicinity of the same.

Typically the toilet seat fixture includes or is provided with a display screen in proximity thereto.

In one embodiment at least one sensor is provided for detecting the presence of a person using the fixture. The sensor can be provided within the toilet seat and react to pressure applied thereon when a person sits on the same so that the sensor can be maintained in the activated state for as long as the person remains on the seat. When the person leaves the seat the pressure on the sensor changes and so the sensor can be used to sense the number of occasions on which the fixture is used in any given time, by utilising appropriate processing apparatus to receive the sensor signals. In another embodiment the sensor is a switch device mounted on the seat to contact with the base of the seat with increased pressure when a person sits on the seat. In yet another embodiment the sensor may be a detector mounted in a position on or removed from the seat and which is positioned so as to detect the presence of a person on the seat. This form of sensor could be a PIR infra red sensor. In yet another embodiment the sensor can be provided to sense the flushing of the fixture, such as by detecting the use of the flush mechanism, or the presence or absence of water in the cistern.

It is envisaged that the sensor will be mounted and provided as part of a system which utilises a screen display, typically positioned to be viewable by a person when sitting on the seat, and said screen can

In one embodiment the screen or sensor or both can be mounted as part of other facility fixtures to the fixture used by the person at that time, such as, for example, being provided as part of a toilet roll holder or in or on a wall or door of the cubicle. Typically audio facilities are also provided to allow the listening of material to occur.

Thus the invention provides a toilet or urinal facility wherein said facility includes a screen for the display of video data and/or speakers for audio data, which screen is positioned so as to be viewed by a person when using a fixture in the facility.

AMENDED SHEET

the same can be secured in conjunction with adhesive known as hot glue.

Specific embodiments of the invention will now be described with reference to the accompanying drawings wherein;

Figure 1 illustrates a urinal or toilet facility fixture according to one embodiment of the invention; and

Figure 2 illustrates a urinal or toilet facility fixture according to a further embodiment of the invention.

Figure 3 illustrates a urinal or toilet facility fixture of a yet further embodiment;

Figure 4 illustrates a urinal or toilet facility fixture in a further embodiment; and

Figure 5 illustrates a toilet seat fixture in a further embodiment of the invention.

Referring to Figures 1 and 2 there is illustrated in each embodiment a male urinal fixture 2 according to one embodiment of the invention which includes two bays, 4, 6 each of which has a urinal collection area 11 and which, in the embodiments shown, lead to a common drain 8 for urine. Depending upwardly from the collection areas respectively are walls 10, 12. The fixture is of the sort provided in a urinal or toilet facility within a premises.

In the embodiment of Figure 1, as part of each fixture wall, there is provided a display screen 14,16.

In Figure 2 the screens 15, 17 are not provided as integral parts of the urinal fixture wall but are provided as free mounted units, typically in protective housings 19, but they are still, in the terms of the patent, part of the urinal facility and the fixture in question as they are positioned so as to be viewed by persons when at the urinal bays 4,6. For reasons which will become clear later, the ability for the user of the fixture to view the screens when using the fixture and be sensed to be at the urinal fixture at that time, is an important advantage of the current invention.

In whichever embodiment each screen is provided for the display of video data such as adverts, games and the like. The screens are mounted so as to be viewable by persons using the fixture in the facility and are positioned at a convenient height and may also be angled to allow easy viewing by the user. The display screens are mounted behind a protective front face such as armoured glass, and may be positioned a distance behind the front face so that impact on the front face does not necessarily cause damage to the display screen. Speakers, for example 20, in Figure 2, can also be provided at the same location as the display screens or may be positioned as selected to suit particular facility requirements.

In one embodiment the video and audio data which is generated is done on a continuous basis from a video/compact disc or other storage means apparatus which in one embodiment can be mounted within the urinal facility or may be positioned at a remote location from but connected to the facility. In an alternative arrangement the generation of the video and/or audio material or a change in the video and/or audio material which is generated can be commenced in response to the activation of a sensor system which signifies that the fixture is being used or that a person has entered the area in which the fixture is mounted and can therefore view the screen when using the fixture.

Figures 1 and 2 illustrate the provision of sensors 18 which are positioned to detect the presence of a person using the fixture. Preferably the sensors are provided to allow the detection of the time when a person comes into close proximity with the fixture, as is illustrated by the sensor path 22 shown by broken lines in Figure 2. It should also be appreciated that the sensors can be positioned in any appropriate position on the fixture or adjacent to the same to provide the required detection. In one embodiment the sensors are positioned and controlled to detect a person, for example, the torso of the person, and thereby minimise false detections. In one example the sensors can be angled downwardly from a position above the average persons torso position when using a fixture.

The sensor path or detection area is such that, when detected, the person is presumed with a high degree of certainty to be using the fixture and, with the positioning of the display screens as shown, to be watching the display screen. The sensors can also be provided to detect when the person leaves the vicinity of the fixture so that data indicating the start, end and duration of each use can be stored in storage means.

The sensors can in one embodiment be connected to software which modifies the way they react so that they recognise a person using the fixture and the sensors can reset automatically immediately a user has left the fixture so that the next 'hit' can be recorded for advertisers or other interested parties.

If audio data is to be generated, suitable speakers can be provided as part of the facility or within the area.

The system for downloading the data can take any suitable form, one being a low maintenance MPEG2 decoder. The hardware can be based on a standard PC with suitable processing means.

The Video data can be output in Composite, SVHS and RGB as an option and the system software can be loaded from a single storage means. The system can be configured to run from a sensor trigger or constant play.

Figure 3 illustrates an alternative embodiment to those of Figures 1 and 2 of the invention and which may be used with or without display screens (not shown), wherein there is provided a male urinal fixture 102 with two bays 104, 106. In the embodiment shown each of the bays is provided with a sensor 108 mounted on the respective walls 110,112 of the bays 104,106. The sensors in this embodiment can be provided to react to the impact of urine thereon and thereby cause a signal to be sent. The signal can be used to cause a change in condition of other apparatus for the display of material to the user and/or can, in this aspect, be used to provide a record of the level of usage of the urinal fixture..

The usage information can be of value to organisations who may advertise material at the fixture or in the area of the fixture and indicates to them the persons who are viewing the adverts and the times and peak times of viewing. Thus in whichever embodiment, it should be appreciated that the sensor can be provided as part of the fixture, or separate therefrom but in any case the sensor system used which includes sensors located to detect the presence of a person in the vicinity of the fixture.

Referring now to Figure 4 there is illustrated two side by side urinal or toilet fixtures in the form of two cubicles, with the views from the rear of the cubicles, each of which comprises a cubicle 202

having side walls 210 and a door 212, with a toilet seat 204, a housing 205 with a display screen 206, and a sensor 208. The sensor in this case can be a light activated sensor mounted in the display screen housing as shown or could be a pressure sensor 208 mounted in the toilet seat annular part 210 as shown in Figure 5 which, when a person sits on the seat changes condition. However it should be noted that the sensor used can be any suitable sensor to allow the presence of a person to be detected. Thus when the person is detected the display of material from the display screen commences for the duration of the person sitting on the toilet seat and hence being able to view the display screen.

Although not shown in the drawings, it should be appreciated that the invention can be incorporated in any urinal or toilet facility fixture such as for example as part of a mirror assembly and/or at the location of a sink or a bank of sinks, whereupon the presence of a person at the sink and/or the presence of a person using a water tap at the sink can be sensed and, in addition to the presence of the person being logged and stored for reference as described above with reference to the other embodiments, the detection can cause the commencement of operation or change in condition of a display screen mounted for viewing by the person at the fixture.

In a yet further feature of the invention in a urinal or toilet facility there can be provided a number of fixtures which include a display screen and/or sensor system as herein described which are provided to allow the display of material at the said fixtures. Thus, for example, a person may use the male urinal or toilet seat fixture and view material on a display screen while using that fixture, then move to the sink to wash their hands and view material while using the second fixture on a display screen and then move to dry their hands with an automatic hand dryer and view material on a screen while using that fixture. The screen viewed may be the same in all

three cases or may be two or three separate screens depending on the positioning of the fixtures and whether the person could view the same. Furthermore the activation of the material can be by sensors mounted to detect the presence of a person at the respective fixtures.

In each embodiment the sensor can be connected to a control system (not shown), such that when the change in condition of the sensor occurs, this is logged on the control system so that an indication can be provided of the number of users of the fixtures over any given time period and, if required the length of use by each user or users by detecting when the person leaves the fixture. The change in condition of the sensors can also be used to activate the display of material on the display screen for the duration of the change in condition or until the sensor again changes condition.

This data with regard to usage is of great value to advertisers whose material may be displayed via the video and audio material which is generated. Furthermore the data is of great value as it provides an accurate indication of the person having viewed the material as when the person is using the fixture they cannot leave the fixture and, more importantly with the proper positioning of the display screens it is very difficult for the person to do anything else but view the material displayed to them. Thus the data can be assumed to have a relatively high degree of accuracy inasmuch that those people whose presence has been detected can be assumed with a high degree of certainty to have viewed the video material. From this, the levels and times of usage can be cross referenced with respect to the times of showing of particular advertising material and so peaks and troughs of usage in terms of time can be calculated and cross referenced with specific advertisers. The data can thus be sold on to the advertisers as of course can the advertising space so that revenue can be obtained through the

invention in addition to providing the opportunity to provide entertainment and information to the users of the facility.

In a further feature of the invention the data which is detected by the sensors can be transmitted to a remote location from the facility or from storage means connected to the sensor in the facility. In one embodiment the data is transmitted by uploading the same using transmission means which can also be used for the downloading of video and/or audio data relating to new advertising, entertainment and/or information material for display. The data received by the upload can be installed into a secure web site which advertisers or facility managers or other interested parties who may have paid for the data can access and 'track' the level of use of the fixtures in the facility and hence in the case of advertisers exposure to their advertising material.

Typically the advertising material will be downloaded to storage medium which can be any desired form such as a 'flash disk' which is a form of storage disk and from which the material can be generated on screen continuously or as required. The same storage medium can also be used to store the 'real-time' data about number, frequency and time of uses and this data can be retrieved by the remote connection discussed above or by visiting the facility. This "usage" data is of great value and can be a unique service to advertising companies and their advertisers and is a feature which is not currently available.

The downloading of the data can be achieved using any suitable system such as for example an internet based system however the increasing expansion of broadband communications both on landline based systems (ISDN, ADSL) and mobile based systems (GPRS, GSM, G3) allow moving images and Alphanumeric type communications to be transmitted reliably at sufficient speed and data quality. The transmission of the data

may be implemented with the use of Remote Writer software or any other suitable control and implementation system which is commercially available.

Thus there is provided the provision in a urinal or toilet facility of a display screen with the display screen positioned and used to display a material to the user of a fixture in the facility such as a male urinal, toilet seat, sink, mirror or any other fixture and this in itself is a useful and inventive feature in that the display screen is positioned to allow video material to be viewed by the person using the fixture. However the utility is further improved by the use of a sensor to detect the presence of a person at the fixture. In addition, data relating to the usage of the fixture and when used in conjunction with the display screen exposure to the material displayed on the display screen can be stored and provided to advertisers to whom the material relates, facility providers or other interested parties. Furthermore the data from which the video and/or audio via speakers, is generated can be downloaded to the facility from a remote location and stored in memory via suitable communication systems.

100 1352 11 00 00 GB0003418

- 100 1352 11 00 00 GB0003418

7 Apparatus according to claim 6 wherein the material to be displayed is transmitted to the storage medium from a remote location.

8 Apparatus according to claim 1 wherein the memory means allows the storage of data generated from the sensor which indicates the number of detections made over a pre-determined time period to indicate usage of the facility and/or fixture.

9. Apparatus according to claim 1 wherein activation of the sensor causes activation of the video and/or audio material or a change in condition of the video and/or audio material.

10. Apparatus according to claim 1 wherein the sensor is mounted at or adjacent to the display screen.

11. Apparatus according to claim 1 wherein the facility incorporates a toilet seat fixture, and the sensor is mounted in the housing in which the display screen is provided to detect the presence of a person on said seat.

12. Apparatus according to claim 1 wherein the facility incorporates a toilet seat fixture and said seat has mounted in the same a sensor, said sensor activated by the presence of a person on said seat or in the vicinity of the same.

13. Apparatus according to claim 1 wherein the sensor is mounted on the fixture to indicate a change in condition of the fixture by reacting to a specified liquid or liquids.

14. Apparatus according to claim 13 wherein the sensor is controlled to react to urine but not water so as to avoid activation

20 Apparatus according to claim 19 wherein upon activation of the facility the user can participate in a game.

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau(43) International Publication Date
15 March 2001 (15.03.2001)

PCT

(10) International Publication Number
WO 01/18315 A1(51) International Patent Classification⁷: E03D 13/00,
G09F 27/00, A47K 17/00

(21) International Application Number: PCT/GB00/03418

(22) International Filing Date:
6 September 2000 (06.09.2000)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
9921192.2 9 September 1999 (09.09.1999) GB
9923396.7 5 October 1999 (05.10.1999) GB

(71) Applicant and


(72) Inventor: SYKES, John [GB/GB]; The Old Vicarage,
Scalby, Scarborough, North Yorkshire YO13 0RP (GB).(74) Agent: BAILEY WALSH & CO.; 5 York Place, Leeds
LS1 2SD (GB).(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ,
DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR,
HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ,
NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM,
TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.(84) Designated States (*regional*): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,
IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG,
CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

— With international search report

For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.

(54) Title: URINAL OR TOILET FACILITY APPARATUS



(57) Abstract: The invention relates to the provision in a urinal or toilet facility of a display screen with the display screen positioned and used to display video material to the user of a fixture in the facility such as a male urinal, toilet seat, sink, mirror or any other fixture and this in itself is a useful and inventive feature in that the display screen is positioned to allow video material to be viewed by the person using the fixture. However the utility is further improved by the use of a sensor to detect the presence of a person at the fixture. In addition, data relating to the usage of the fixture and when used in conjunction with the display screen exposure to the material displayed on the display screen can be stored and provided to advertisers to whom the material relates, facility providers or other interested parties. Furthermore the data from which the video and/or audio via speakers, is generated can be downloaded to the facility from a remote location and stored in memory via suitable communication systems.

WO 01/18315 A1




Figure 1




Figure 2




Figure 4

Figure 3





Figure 5



Type a Plus sign (+) inside this box →

+

GW-SAR-8142-US:JVM-160079

DECLARATION FOR UTILITY OR DESIGN PATENT APPLICATION (37 CFR 1.63)		Attorney Docket Number		5570-4																																						
		First Named Inventor		John Sykes																																						
<div style="display: flex; justify-content: space-between;"><div style="width: 45%;"><input checked="" type="checkbox"/> Declaration Submitted With Initial Filing</div><div style="width: 45%;"><input type="checkbox"/> Declaration Submitted after Initial Filing (surcharge 37 CFR 1.16 (e) required)</div></div> <div style="text-align: center; margin-top: 10px;">OR</div>		COMPLETE IF KNOWN																																								
		Application Number																																								
		Filing Date																																								
		Group Art Unit																																								
		Examiner Name																																								
<p>As a below named inventor, I hereby declare that:</p> <p>My residence, post office address, and citizenship are as stated below next to my name</p> <p>I believe I am the original, first, and sole inventor (if only one name is listed below) or an original, first, and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:</p> <div style="border: 1px solid black; padding: 5px; text-align: center; margin: 10px 0;">URINAL OR TOILET FACILITY APPARATUS</div> <p style="text-align: center; margin: 5px 0;"><i>(Title of the Invention)</i></p> <p>the specification of which</p> <div style="display: flex; justify-content: space-between; align-items: center; margin: 10px 0;"><div style="width: 30%;"><input checked="" type="checkbox"/> is attached hereto</div><div style="width: 30%; text-align: center;">OR</div><div style="width: 30%;"><input type="checkbox"/> was filed on (MM/DD/YYYY) as United States</div></div> <p>Application Number and was amended on (MM/DD/YYYY) (if applicable).</p> <p>I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claim, as amended by any amendment specifically referred to above.</p> <p>I acknowledge and hereby disclose information which is material to patentability as defined in 37 CFR 1.56.</p>																																										
<p>I hereby claim foreign priority benefits under 35 U.S.C. 119 (a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed.</p> <table border="1" style="width: 100%; border-collapse: collapse;"><thead><tr><th rowspan="2">Prior Foreign Application Number(s)</th><th rowspan="2">Country</th><th rowspan="2">Foreign Filing Date (MM/DD/YYYY)</th><th colspan="2">Check Only If Priority Not Claimed</th><th colspan="2">Certified Copy Attached?</th></tr><tr><th>YES</th><th>NO</th><th>YES</th><th>NO</th></tr></thead><tbody><tr><td rowspan="3">PCT/GB00/03418 9921192.2 9923396.7</td><td>PCT</td><td>09/06/2000</td><td></td><td></td><td></td><td></td></tr><tr><td>U.K.</td><td>09/09/1999</td><td></td><td></td><td></td><td></td></tr><tr><td>U.K.</td><td>10/05/1999</td><td></td><td></td><td></td><td></td></tr><tr><td colspan="7" style="height: 40px;"></td></tr></tbody></table>						Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Check Only If Priority Not Claimed		Certified Copy Attached?		YES	NO	YES	NO	PCT/GB00/03418 9921192.2 9923396.7	PCT	09/06/2000					U.K.	09/09/1999					U.K.	10/05/1999											
Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Check Only If Priority Not Claimed		Certified Copy Attached?																																					
			YES	NO	YES	NO																																				
PCT/GB00/03418 9921192.2 9923396.7	PCT	09/06/2000																																								
	U.K.	09/09/1999																																								
	U.K.	10/05/1999																																								
<div style="display: flex; align-items: center;"><input type="checkbox"/> Additional foreign application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto:</div>																																										
<p>I hereby claim the benefit under 35 U.S.C. 119(e) of any United States provisional application(s) listed below.</p> <table border="1" style="width: 100%; border-collapse: collapse;"><thead><tr><th>Application Number(s)</th><th>Filing Date (MM/DD/YYYY)</th><th></th></tr></thead><tbody><tr><td colspan="3" style="height: 40px;"></td></tr></tbody></table> <div style="text-align: right; margin-top: 10px;"><input type="checkbox"/> Additional provisional application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.</div>						Application Number(s)	Filing Date (MM/DD/YYYY)																																			
Application Number(s)	Filing Date (MM/DD/YYYY)																																									

Type a plus sign (+) inside this box →

+

pg 2

DECLARATION – Utility or Design Patent Application

I hereby claim the benefit under 35 U.S.C. 120 of any United States application(s), or 365(c) of any PCT international application designating the United States of America, listed below, and insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

U.S. Parent Application or PCT Number**Parent Filing Date (MM/DD/YYYY)****Parent Patent Number (If applicable)**☐

Additional U.S. or PCT international application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.

As a named inventor, I hereby appoint the following registered practitioner(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.

☐

Customer Number

OR

Place Customer
Number Bar Code
Label Here

☒

Registered practitioner(s) name/registration number listed below.

Name**Registration Number****Name****Registration Number**

SEE ATTACHED SHEET

☐

Additional registered practitioner(s) named on supplemental Registered Practitioner Information sheet PTO/SB/02C attached hereto

Direct all correspondence to :

☐Customer Number
Bar Code Label

OR

☐


Correspondence address below

NameJohn V. Moriarty**Address**WOODARD EMHARDT NAUGHTON MORIARTY & McNETT**Address**111 Monument Circle, Suite 3700**City**Indianapolis**State**IN**ZIP**46204**Country**US**Telephone**317/ 634-3456**Fax**317/637-7525

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Name of Sole or First Inventor:☐

A petition has been filed for this unsigned inventor.

Given Name (first and middle (if any))**Family Name or Surname**JohnSykes**Inventor's Signature****Date****Residence: City**HuddersfieldGBN**State****Country**Great Britain**Citizenship**British**Post Office Address**Farnley House, Manor Road, Farnley Tyas**Post Office Address****City**Huddersfield**State****ZIP**HD4 6UL**Country**Great Britain☐

Additional inventors are being named on the _____ supplemental Additional Inventor(s) sheet(s) PTO/SB/02A attached hereto.

Type a Plus sign (+) inside this box →

DECLARATION		Registered Practitioner Information (Supplemental Sheet)	
Name	Registration Number	Name	Registration Number
Harold R. Woodard	16,214		
C. David Emhardt	18,483		
Joseph A. Naughton, Jr.	19,814		
John V. Moriarty	26,207		
John C. McNett	25,533		
Thomas Q. Henry	28,309		
James M. Durlacher	28,840		
Charles R. Reeves	28,750		
Vincent O. Wagner	29,596		
Steve Zlatos	30,123		
Spiro Bereveskos	30,821		
Clifford W. Browning	32,201		
R. Randall Frisk	32,221		
Daniel J. Lueders	32,581		
Kenneth A. Gandy	33,386		
Timothy N. Thomas	35,714		
Kurt N. Jones	37,996		
John H. Allie	39,088		
Holiday W. Banta	40,311		
Troy J. Cole	35,102		
L. Scott Paynter	39,797		
Charles J. Meyer	41,996		
Matthew R. Schantz	40,800		
Gregory B. Coy	40,967		
Lisa A. Hiday	40,036		
John V. Daniluck	40,581		
Christopher A. Brown	41,642		
C. John Brannon	44,557		
Arthur J. Usher IV	41,359		
Douglas A. Collier	43,556		
Brad A. Schepers	45,431		
Scott J. Stevens	29,446		
James B. Myers	42,021		
John M. Bradshaw	46,573		
Charles P. Schmal	45,082		
Edward E. Sowers	36,015		
Quentin G. Cantrell	47,469		
John L. Roberts	50,453		

38